## **LG Water Solutions**

# Data Sheet







#### **Overview**

LG Chem's NanoH<sub>2</sub>O<sup>TM</sup> brackish water RO membranes serve various municipal and industrial applications. LG BWRO, all incorporated with innovative Thin Film Nanocomposite (TFN) technology, is offered in industry standard configuration easily fit into existing or new RO plants. Global clients in more than 50 countries have already experienced LG BWRO and superior quality and performance of the membranes lead to repeat customers.


LG BW UES membranes offer high water permeability at ultra-low pressure, significantly reducing operating costs of brackish water RO systems without compromising water quality.

### **Product Specifications**

\* 4-inch spiral wound membrane

Active Membrane	Permeate Flow	Minimum Salt	Stabilized Salt	Feed Spacer
Area ft² (m²)	Rate GPD (m³/d)	Rejection (%)	Rejection (%)	(mil)
85 (7.9)	2,700 (10.2)	98.0	99.0	28

Test Conditions: 500ppm NaCl @ 25°C(77°F), 100psi (6.9bar), pH 8, Recovery 15%. Permeate flows for individual elements will vary with no less than 85% of the specified datasheet flow.



A	B	C	D	Weight
mm (in.)	mm (in.)	mm (in.)	mm (in.)	kg (lbs.)
1,016	100	19	28	4
(40)	(3.9)	(0.75)	(1.1)	(9)

# Operating Specifications

For more information and operating guidelines, visit www.LGwatersolutions.com

Max. Applied pressure	600psi (41bar)
Max. Chlorine concentration	< 0.1 ppm
Max. Operating temperature	45°C (113°F)
pH Range, Continuous (Cleaning)	2-11 (2-12)
Max. Feedwater turbidity	1.0 NTU
Max. Feedwater SDI (15 mins)	5.0
Max. Feed flow	16gpm (3.6m <sup>3</sup> /h)
Max. Pressure drop (ΔP) for each element	15psi (1.0bar)

The information and data contained herein are deemed to be accurate and reliable and are offered in good faith, but without guarantee of performance. LG Chem assumes no liability for results obtained or damages incurred through the application of the information contained herein. Customer is responsible for determining whether the products and information presented herein are appropriate for the customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Specifications subject to change without notice. NanoH<sub>2</sub>O is the Trademark of The LG water solutions or an affiliated company of LG chem. All rights reserved. © 2017 LG Chem, Ltd.



info@lenntech.com Tel. +31-152-610-900 www.lenntech.com Fax. +31-152-616-289

Rev. J (02.05)

