



Be Right™



SC200 Controller

The SC200 Universal Controller is the most versatile controller on the market. It allows the use of digital and analog sensors, either alone or in combination, to provide compatibility with the broadest range of sensors. It replaces the Hach SC100 digital and GLI53 analog controllers with advanced features for easier operator use. The SC200 controller can be configured to operate two digital sensor inputs, two analog sensor inputs, or a combination of one digital and one analog input. Customers may add communication modules for a variety of protocols including Modbus 232/485, Profibus DPV1, and Hart.

Maximum Versatility

Ease of Use and Confidence in Results

Wide Variety of Communication Options

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.00552	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.00502	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	None	Contact Hach
LXV404.99.00102	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.00202	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.00112	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.70552	24 VDC	2x 4-20 mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.00222	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.00302	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.01552	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	Digital	Contact Hach
LXV404.99.05502	100-240V AC, No Power Cord	HART	Digital	Digital	None	Contact Hach
LXV404.99.70502	24 VDC	2x 4-20 mA Out	Digital	Digital	None	Contact Hach
LXV404.99.05102	100-240V AC, No Power Cord	HART	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.05202	100-240V AC, No Power Cord	HART	Analog	Analog Conductivity	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.50552	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.70202	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.05552	100-240V AC, No Power Cord	HART	Digital	Digital	Digital	Contact Hach
LXV404.99.09552	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.75102	24 VDC	HART	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.00512	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.00212	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.01502	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	None	Contact Hach
LXV404.99.75502	24 VDC	HART	Digital	Digital	None	Contact Hach
LXV404.99.03102	100-240V AC, No Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.00522	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.75202	24 VDC	HART	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.70222	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.71552	24 VDC	Modbus RS232/RS485	Digital	Digital	Digital	Contact Hach
LXV404.99.03502	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	None	Contact Hach
LXV404.99.70102	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.70212	24 VDC	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.01512	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.03552	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Digital	Contact Hach
LXV404.99.75552	24 VDC	HART	Digital	Digital	Digital	Contact Hach
LXV404.99.70112	24 VDC	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.50102	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.50302	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.73552	24 VDC	Profibus DP	Digital	Digital	Digital	Contact Hach
LXV404.99.59552	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.79552	24 VDC	5x 4-20mA Out	Digital	Digital	Digital	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.00542	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.50502	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	None	Contact Hach
LXV404.99.10552	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.01112	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.11222	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.09112	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.00532	100-240V AC, No Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.50222	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.71212	24 VDC	Modbus RS232/RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.01522	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.00402	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.01302	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Flow	None	Contact Hach
LXV404.99.01202	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.75512	24 VDC	HART	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.51552	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	Digital	Contact Hach
LXV404.99.01102	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.00442	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.75112	24 VDC	HART	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.03202	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.03402	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	None	Contact Hach
LXV404.99.09222	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.55552	100-240V AC, US Power Cord	HART	Digital	Digital	Digital	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.05512	100-240V AC, No Power Cord	HART	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.01542	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.50112	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.75222	24 VDC	HART	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.01442	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.05112	100-240V AC, No Power Cord	HART	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.09512	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.71302	24 VDC	Modbus RS232/RS485	Analog	Analog Flow	None	Contact Hach
LXV404.99.73502	24 VDC	Profibus DP	Digital	Digital	None	Contact Hach
LXV404.99.79222	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.01532	100-240V AC, No Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.50202	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.11552	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	Digital	Contact Hach
LXV404.99.13202	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.50332	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.71502	24 VDC	Modbus RS232/RS485	Digital	Digital	None	Contact Hach
LXV404.99.00312	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.00332	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.00322	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.50512	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.50542	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.75212	24 VDC	HART	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.01332	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Flow	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.70302	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.79212	24 VDC	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.01212	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.50532	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.51112	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.75522	24 VDC	HART	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.05212	100-240V AC, No Power Cord	HART	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.05302	100-240V AC, No Power Cord	HART	Analog	Analog Flow	None	Contact Hach
LXV404.99.05522	100-240V AC, No Power Cord	HART	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.09102	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.09502	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	None	Contact Hach
LXV404.99.19212	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.20202	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.53302	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	None	Contact Hach
LXV404.99.59222	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.70512	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.71542	24 VDC	Modbus RS232/RS485	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.73102	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.79322	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.09522	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.50522	100-240V AC, US Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.05402	100-240V AC, No Power Cord	HART	Analog	4-20mA Input	None	Contact Hach
LXV404.99.01312	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.03312	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.05222	100-240V AC, No Power Cord	HART	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.05332	100-240V AC, No Power Cord	HART	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.09212	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.10442	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.10502	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	None	Contact Hach
LXV404.99.11522	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.20502	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	None	Contact Hach
LXV404.99.53552	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Digital	Contact Hach
LXV404.99.59112	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.70542	24 VDC	2x 4-20 mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.71402	24 VDC	Modbus RS232/RS485	Analog	4-20mA Input	None	Contact Hach
LXV404.99.71512	24 VDC	Modbus RS232/RS485	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.50212	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.55332	100-240V AC, US Power Cord	HART	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.21552	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	Digital	Contact Hach
LXV404.99.51102	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.51212	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.59212	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.70522	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.15552	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	Digital	Contact Hach
LXV404.99.55302	100-240V AC, US Power Cord	HART	Analog	Analog Flow	None	Contact Hach
LXV404.99.55402	100-240V AC, US Power Cord	HART	Analog	4-20mA Input	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.00412	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.03112	100-240V AC, No Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.05312	100-240V AC, No Power Cord	HART	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.05542	100-240V AC, No Power Cord	HART	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.09432	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.09532	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.09542	100-240V AC, No Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.10112	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.10312	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.10412	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.19552	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.50312	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.50402	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.51532	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.51542	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.59432	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.59542	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.71112	24 VDC	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.71442	24 VDC	Modbus RS232/RS485	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.73402	24 VDC	Profibus DP	Analog	4-20mA Input	None	Contact Hach
LXV404.99.79102	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.79112	24 VDC	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.03512	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.03522	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.03532	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.03542	100-240V AC, No Power Cord	Profibus DP	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.51202	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.51222	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.59512	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.70532	24 VDC	2x 4-20 mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.71102	24 VDC	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.05412	100-240V AC, No Power Cord	HART	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.05422	100-240V AC, No Power Cord	HART	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.05432	100-240V AC, No Power Cord	HART	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.05442	100-240V AC, No Power Cord	HART	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.15102	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.15112	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.15202	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.15212	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.15222	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.15302	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Flow	None	Contact Hach
LXV404.99.15312	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.15322	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.15332	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.15402	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	4-20mA Input	None	Contact Hach
LXV404.99.15412	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.15422	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.15432	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.15442	100-240V AC, No Power Cord, 2x Strain Relief	HART	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.15502	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	None	Contact Hach
LXV404.99.15512	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.15522	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.15532	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.15542	100-240V AC, No Power Cord, 2x Strain Relief	HART	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.25102	100-240V AC, EU Power Cord	HART	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.25112	100-240V AC, EU Power Cord	HART	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.25202	100-240V AC, EU Power Cord	HART	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.25212	100-240V AC, EU Power Cord	HART	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.25222	100-240V AC, EU Power Cord	HART	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.25302	100-240V AC, EU Power Cord	HART	Analog	Analog Flow	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.25312	100-240V AC, EU Power Cord	HART	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.25322	100-240V AC, EU Power Cord	HART	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.25332	100-240V AC, EU Power Cord	HART	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.25402	100-240V AC, EU Power Cord	HART	Analog	4-20mA Input	None	Contact Hach
LXV404.99.25412	100-240V AC, EU Power Cord	HART	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.25422	100-240V AC, EU Power Cord	HART	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.25432	100-240V AC, EU Power Cord	HART	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.25442	100-240V AC, EU Power Cord	HART	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.25502	100-240V AC, EU Power Cord	HART	Digital	Digital	None	Contact Hach
LXV404.99.25512	100-240V AC, EU Power Cord	HART	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.25522	100-240V AC, EU Power Cord	HART	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.25532	100-240V AC, EU Power Cord	HART	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.25542	100-240V AC, EU Power Cord	HART	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.25552	100-240V AC, EU Power Cord	HART	Digital	Digital	Digital	Contact Hach
LXV404.99.55102	100-240V AC, US Power Cord	HART	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.55112	100-240V AC, US Power Cord	HART	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.55202	100-240V AC, US Power Cord	HART	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.55212	100-240V AC, US Power Cord	HART	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.55222	100-240V AC, US Power Cord	HART	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.55312	100-240V AC, US Power Cord	HART	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.55322	100-240V AC, US Power Cord	HART	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.55412	100-240V AC, US Power Cord	HART	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.55422	100-240V AC, US Power Cord	HART	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.55432	100-240V AC, US Power Cord	HART	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.55442	100-240V AC, US Power Cord	HART	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.55502	100-240V AC, US Power Cord	HART	Digital	Digital	None	Contact Hach
LXV404.99.55512	100-240V AC, US Power Cord	HART	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.55522	100-240V AC, US Power Cord	HART	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.55532	100-240V AC, US Power Cord	HART	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.55542	100-240V AC, US Power Cord	HART	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.75302	24 VDC	HART	Analog	Analog Flow	None	Contact Hach
LXV404.99.75312	24 VDC	HART	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.75322	24 VDC	HART	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.75332	24 VDC	HART	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.75402	24 VDC	HART	Analog	4-20mA Input	None	Contact Hach
LXV404.99.75412	24 VDC	HART	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.75422	24 VDC	HART	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.75432	24 VDC	HART	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.75442	24 VDC	HART	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.75532	24 VDC	HART	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.75542	24 VDC	HART	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.00422	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.00432	100-240V AC, No Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.01322	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.01402	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	None	Contact Hach
LXV404.99.01412	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.01422	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.01432	100-240V AC, No Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Flow	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.03212	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.03222	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.03302	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	None	Contact Hach
LXV404.99.03322	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.03332	100-240V AC, No Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.03412	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.03422	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.03432	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.03442	100-240V AC, No Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.05322	100-240V AC, No Power Cord	HART	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.05532	100-240V AC, No Power Cord	HART	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.09202	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.09302	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.09312	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.09322	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.09332	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.09402	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.09412	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.09422	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.09442	100-240V AC, No Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.10102	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.10202	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.10212	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.10222	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.10302	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.10322	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.10332	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.10402	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.10422	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.10432	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.10512	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.10522	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.10532	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.10542	100-240V AC, No Power Cord, 2x Strain Relief	2x 4-20 mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.11102	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.11112	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.11202	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.11212	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.11302	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Flow	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.11312	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.11322	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.11332	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.11402	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	4-20mA Input	None	Contact Hach
LXV404.99.11412	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.11422	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.11432	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.11442	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.11502	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	None	Contact Hach
LXV404.99.11512	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.11532	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.11542	100-240V AC, No Power Cord, 2x Strain Relief	Modbus RS232/RS485	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.13102	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.13112	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.13212	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.13222	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.13302	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.13312	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.13322	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.13332	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.13402	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	None	Contact Hach
LXV404.99.13412	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.13422	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.13432	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.13442	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.13502	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	None	Contact Hach
LXV404.99.13512	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.13522	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.13532	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.13542	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.13552	100-240V AC, No Power Cord, 2x Strain Relief	Profibus DP	Digital	Digital	Digital	Contact Hach
LXV404.99.19102	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.19112	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.19202	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.19222	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.19302	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.19312	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.19322	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.19332	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.19402	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.19412	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.19422	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.19432	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.19442	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.19502	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	None	Contact Hach
LXV404.99.19512	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.19522	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.19532	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.19542	100-240V AC, No Power Cord, 2x Strain Relief	5x 4-20mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.20102	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.20112	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.20212	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.20222	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.20302	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.20312	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.20322	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.20332	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.20402	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.20412	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.20422	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.20432	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.20442	100-240V AC, EU Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.20512	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.20522	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.20532	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.20542	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.20552	100-240V AC, EU Power Cord	2x 4-20 mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.21102	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.21112	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.21202	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.21212	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.21222	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.21302	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Flow	None	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.21312	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.21322	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.21332	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.21402	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	None	Contact Hach
LXV404.99.21412	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.21422	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.21432	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.21442	100-240V AC, EU Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.21502	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	None	Contact Hach
LXV404.99.21512	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.21522	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.21532	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.21542	100-240V AC, EU Power Cord	Modbus RS232/RS485	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.23102	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.23112	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.23202	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.23212	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.23222	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.23302	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	None	Contact Hach
LXV404.99.23312	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.23322	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.23332	100-240V AC, EU Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.23402	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	None	Contact Hach
LXV404.99.23412	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.23422	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.23432	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.23442	100-240V AC, EU Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.23502	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	None	Contact Hach
LXV404.99.23512	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.23522	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.23532	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.23542	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.23552	100-240V AC, EU Power Cord	Profibus DP	Digital	Digital	Digital	Contact Hach
LXV404.99.29102	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.29112	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.29202	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.29212	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.29222	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.29302	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.29312	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.29322	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.29332	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.29402	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.29412	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.29422	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.29432	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.29442	100-240V AC, EU Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.29502	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	None	Contact Hach
LXV404.99.29512	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.29522	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.29532	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.29542	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.29552	100-240V AC, EU Power Cord	5x 4-20mA Out	Digital	Digital	Digital	Contact Hach
LXV404.99.50322	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.50412	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.50422	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.50432	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.50442	100-240V AC, US Power Cord	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.51302	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Flow	None	Contact Hach
LXV404.99.51312	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.51322	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.51332	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.51402	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	None	Contact Hach
LXV404.99.51412	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.51422	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.51432	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	Analog Flow	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.51442	100-240V AC, US Power Cord	Modbus RS232/RS485	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.51502	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	None	Contact Hach
LXV404.99.51512	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.51522	100-240V AC, US Power Cord	Modbus RS232/RS485	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.53102	100-240V AC, US Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.53112	100-240V AC, US Power Cord	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.53202	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.53212	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.53222	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.53312	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.53322	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.53332	100-240V AC, US Power Cord	Profibus DP	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.53402	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	None	Contact Hach
LXV404.99.53412	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.53422	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.53432	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.53442	100-240V AC, US Power Cord	Profibus DP	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.53502	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	None	Contact Hach
LXV404.99.53512	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.53522	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.53532	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.53542	100-240V AC, US Power Cord	Profibus DP	Digital	Digital	4-20mA Input	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.59102	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog pH/ORP/DO	None	Contact Hach
LXV404.99.59202	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.59312	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.59322	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.59332	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.59402	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.59412	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.59422	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.59442	100-240V AC, US Power Cord	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.59502	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	None	Contact Hach
LXV404.99.59522	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.59532	100-240V AC, US Power Cord	5x 4-20mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.70312	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.70322	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.70332	24 VDC	2x 4-20 mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.70402	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.70412	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.70422	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.70432	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.70442	24 VDC	2x 4-20 mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.71202	24 VDC	Modbus RS232/RS485	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.71222	24 VDC	Modbus RS232/RS485	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.71312	24 VDC	Modbus RS232/RS485	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.71322	24 VDC	Modbus RS232/RS485	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.71332	24 VDC	Modbus RS232/RS485	Analog	Analog Flow	Analog Flow	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.71412	24 VDC	Modbus RS232/RS485	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.71422	24 VDC	Modbus RS232/RS485	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.71432	24 VDC	Modbus RS232/RS485	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.71522	24 VDC	Modbus RS232/RS485	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.71532	24 VDC	Modbus RS232/RS485	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.73112	24 VDC	Profibus DP	Analog	Analog pH/ORP/DO	Analog pH/ORP/DO	Contact Hach
LXV404.99.73202	24 VDC	Profibus DP	Analog	Analog Conductivity	None	Contact Hach
LXV404.99.73212	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog pH/ORP/DO	Contact Hach
LXV404.99.73222	24 VDC	Profibus DP	Analog	Analog Conductivity	Analog Conductivity	Contact Hach
LXV404.99.73302	24 VDC	Profibus DP	Analog	Analog Flow	None	Contact Hach
LXV404.99.73312	24 VDC	Profibus DP	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.73322	24 VDC	Profibus DP	Analog	Analog Flow	Analog Conductivity	Contact Hach
LXV404.99.73332	24 VDC	Profibus DP	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.73412	24 VDC	Profibus DP	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.73422	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.73432	24 VDC	Profibus DP	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.73442	24 VDC	Profibus DP	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.73512	24 VDC	Profibus DP	Digital	Digital	Analog pH/ORP/DO	Contact Hach
LXV404.99.73522	24 VDC	Profibus DP	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.73532	24 VDC	Profibus DP	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.73542	24 VDC	Profibus DP	Digital	Digital	4-20mA Input	Contact Hach
LXV404.99.79302	24 VDC	5x 4-20mA Out	Analog	Analog Flow	None	Contact Hach
LXV404.99.79312	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog pH/ORP/DO	Contact Hach
LXV404.99.79332	24 VDC	5x 4-20mA Out	Analog	Analog Flow	Analog Flow	Contact Hach
LXV404.99.79402	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	None	Contact Hach
LXV404.99.79412	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog pH/ORP/DO	Contact Hach
LXV404.99.79422	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Conductivity	Contact Hach
LXV404.99.79432	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	Analog Flow	Contact Hach
LXV404.99.79442	24 VDC	5x 4-20mA Out	Analog	4-20mA Input	4-20mA Input	Contact Hach
LXV404.99.79502	24 VDC	5x 4-20mA Out	Digital	Digital	None	Contact Hach
LXV404.99.79512	24 VDC	5x 4-20mA Out	Digital	Digital	Analog pH/ORP/DO	Contact Hach

Part Number	Power Options	Communication Capabilities	Digital / Analog	Sensor Input #1	Sensor Input #2	USD Price
LXV404.99.79522	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Conductivity	Contact Hach
LXV404.99.79532	24 VDC	5x 4-20mA Out	Digital	Digital	Analog Flow	Contact Hach
LXV404.99.79542	24 VDC	5x 4-20mA Out	Digital	Digital	4-20mA Input	Contact Hach